



# California Regional Water Quality Control Board

## San Diego Region

**Winston H. Hickox**  
Secretary for  
Environmental  
Protection

Internet Address: <http://www.swrcb.ca.gov/~rwqcb9/>  
9174 Sky Park Court, Suite 100, San Diego, California 92123  
Phone (858) 467-2952 • FAX (858) 571-6972



**Gray Davis**  
Governor

CERTIFIED MAIL – Return Reply Requested  
7002 2410 0004 0597 4610

February 21, 2003

Mr. John F. Hennigar  
General Manager  
Rancho California Water District  
P.O. Box 9017  
Temecula, CA 92589-9017

In Reply Refer to:  
01-0601.01  
:BDK: cmc

Dear Mr. Hennigar:

**RE: TENTATIVE ADDENDUM NO. 3 TO ORDER NO. 94-92, WASTE DISCHARGE REQUIREMENTS FOR THE RANCHO CALIFORNIA WATER DISTRICT, WASTEWATER RECLAMATION FACILITIES, RIVERSIDE COUNTY**

Enclosed is a copy of Tentative Addendum No. 3 to Order No. 94-92 which staff intends to present to the Regional Board for adoption at their regularly scheduled meeting on March 12, 2003.

If adopted, Tentative Addendum No. 3 to Order No. 94-92 would amend waste discharge requirements by updating tertiary effluent limits for coliform and turbidity, Reclaimed Water Use Provisions, Standard Provisions, and Monitoring and Reporting Requirements Sections B, C and E. The Addendum would also include effluent limits and monitoring and reporting requirements for chlorine contact time (CT) and add the new Section H, Pretreatment Requirements.

The March 12, 2003 meeting will begin promptly at 9:00 am and will be held at the following location:

Water Quality Control Board  
Regional Board Meeting Room  
9174 Sky Park Court  
San Diego, CA 92123

Please review and comment on the tentative Addendum at your earliest convenience. Oral statements will be heard, but for the accuracy of the record, all important testimony should be in writing. It is recommended that written comments be submitted by March 3, 2003 to enable staff to amend the tentative Addendum, if necessary, and allow changes to the tentative Addendum to be fully reviewed by the Regional Board and interested parties. The final deadline for submittal of written comments, however, is 5:00 pm on Wednesday, March 5, 2003. Per Regional Board direction, written material submitted to the Regional Board office after the submittal deadline

***California Environmental Protection Agency***

date will not be provided to the Regional Board. Also, it is not likely that written material will be accepted by the Regional Board on the day of the meeting.

If you have any questions or concerns regarding the issues raised above, please contact Ms. Chiara Clemente of my staff at (858) 467-2359 or [clemc@rb9.swrcb.ca.gov](mailto:clemc@rb9.swrcb.ca.gov).

Respectfully,

MICHAEL P. McCANN  
Supervising Engineer  
San Diego Regional Water Quality Control Board

Enclosure: Tentative Addendum No. 3 to Order No. 94-92